

IN THE UNITED STATES PATENT AND TRADEMARK OFFICERECEIVED  
CENTRAL FAX CENTER

MAR 30 2005

|                          |   |                             |
|--------------------------|---|-----------------------------|
| In Re Application of:    | ) |                             |
|                          | ) |                             |
| Inventors: Conley et al. | ) |                             |
|                          | ) |                             |
| Serial No.: 10/784,662   | ) | ATTORNEY FILE NO.           |
|                          | ) | SLA0674                     |
| Filed: February 23, 2004 | ) |                             |
|                          | ) | Customer No.: 27518         |
| Title: REACTIVE GATE     | ) | Group Art: 2815             |
| ELECTRODE CONDUCTIVE     | ) | Examiner: Wojciechowicz, E. |
| BARRIER                  | ) | Confirmation No.: 2287      |
|                          | ) |                             |

## CERTIFICATE OF TRANSMITTAL UNDER 37 C.F.R. §1.8

I hereby certify that this correspondence is being facsimile  
transmitted to the United States Patent and Trademark Office  
at Fax No. (703) 872-9306 on March 30, 2005.

  
\_\_\_\_\_  
David C. Ripma, Registration No. 27,672  
Signature Date: March 30, 2005

## MAIL STOP AMENDMENTS

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

The present communication is responsive to a restriction requirement  
mailed March 23, 2005, for the above-mentioned application.


The Applicant elects to pursue the Group II Claims, claims 1-13,  
drawn to a process.

The Applicant cancels claims 14-26 without traverse.

Date:

3/30/05

Respectfully submitted,



David Ripma  
Registration No. 27,672

Customer Number 27518  
David C. Ripma, Patent Counsel  
Sharp Laboratories of America, Inc.  
5750 NW Pacific Rim Blvd.  
Camas, WA 98607  
Telephone: (360) 834-8754  
Facsimile: (360) 817-8505  
[dripma@sharplabs.com](mailto:dripma@sharplabs.com)